

R O W A N

Pebbles



YARN

	XS	S	M	L	XL	
To fit bust	81	86	91	97	102	cm
	32	34	36	38	40	in

Rowan Summer Tweed

9 10 10 11 11 x 50gm

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 5mm (no 6) (US 8) needles
Cable needle

FASTENINGS – 2 press studs

TENSION

18 sts and 26 rows to 10 cm measured over moss stitch using 5mm (US 8) needles.

ABBREVIATIONS

alt, alternate; beg, begin(ning); cn, cable needle; cont, continue; dec, decrease(ing); foll, following; garter st, garter stitch (K every row); inc, increase(e)(ing); K, knit; M1P, make one stitch by picking up horizontal loop before next stitch and purling into back of it; 0, no stitches, times or rows; P, purl; patt, pattern; rem, remain(ing); rep, repeat; RS, right side; st(s), stitch(es); tbl, through back of loop; tog, together; –, no stitches, times or rows for that size; WS, wrong side; in(s), inch(es); cm, centimetres; mm, millimetres.

SPECIAL ABBREVIATIONS

C8B = Cable 8 back Slip next 4 sts onto cn and leave at back of work, K4, then K4 from cn.

C8F = Cable 8 front Slip next 4 sts onto cn and leave at front of work, K4, then K4 from cn.

BACK

Cast on 75 (79: 85: 89: 95) sts using 4mm (US 6) needles.

Work in garter st for 3 rows, ending with a RS row.

Row 4 (WS): P1, *K1, P1, rep from * to end.

Row 5: As row 4.

Rows 4 and 5 form moss st.

Work in moss st for a further 1 row, ending with a WS row.

Change to 5mm (US 8) needles.

Cont in moss st, shaping side seams by inc 1 st at each end of 9th and every foll 14th row until there are 83 (87: 93: 97: 103) sts.

Work a further 21 rows, ending with a WS row. (Back should measure 30 cm.)

Shape raglan armholes

Keeping moss st correct, cast off 7 sts at beg of next 2 rows.

69 (73: 79: 83: 89) sts.

Next row (dec) (RS): Moss st 2 sts, work 3 tog, moss st to last 5 sts, work 3 tog, moss st 2 sts.

Working all raglan decreases as set by last row, dec 2 sts at each end of every foll 6th (6th: 4th: alt: alt) row to 57 (65: 27: 75: 77) sts, then on every foll 4th (4th: -: 4th: 4th) row until 25 (25: -: 27: 29) sts rem.

Work 1 row.

Dec 2 sts at each end of next row.

21 (21: 23: 23: 25) sts.

Work 1 row, ending with a WS row.

Cast off rem 21 (21: 23: 23: 25) sts.

LEFT FRONT

Cast on 19 (21: 24: 26: 29) sts using 4mm (US 6) needles.

Work in garter st for 3 rows, ending with a RS row.

Row 4 (WS): P1 (1: 0: 0: 1), *K1, P1, rep from * to end.

Row 5: *P1, K1, rep from * to last 1 (1: 0: 0: 1) st, P1 (1: 0: 0: 1).

Rows 4 and 5 form moss st.

Row 6: Moss st 3 sts, M1P, moss st 1 st, M1P, moss st 2 sts, M1P, moss st 1 st, M1P, moss st to end. 23 (25: 28: 30: 33) sts.

Change to 5mm (US 8) needles.

Patt as folls:

Row 1 (RS): Moss st to last 13 sts, M2 (by picking up loop lying between needles and working into back then front of this loop), moss st 2 sts, K8, moss st 3 sts. 25 (27: 30: 32: 35) sts.

Row 2 and every foll alt row: Moss st 3 sts, P8, moss st to end.

Row 3: Moss st to last 11 sts, K8, moss st 3 sts.

Row 5: Moss st to last 11 sts, C8B, moss st 3 sts.

Row 7: As row 1. 27 (29: 32: 34: 37) sts.

Row 9: Inc in first st, moss st to last 11 sts, K8, moss st 3 sts. 28 (30: 33: 35: 38) sts.

Row 10: As row 2.

These 10 rows form cable patt and start side seam and front opening edge shaping. Cont in patt, shaping side seam by inc 1 st at beg of 13th and 2 foll 14th row **and at same time** inc 2 sts at front opening edge of 3rd and every foll 6th row. 45 (47: 50: 52: 55) sts.

Inc 2 sts at front opening edge **only** of 4th and every foll 6th row until there are 51 (53: 56: 58: 61) sts.

Work a further 5 rows, ending with a WS row. (Left front should match back to beg of raglan armhole shaping.)

Shape raglan armhole

Keeping patt correct, cast off 7 sts at beg and inc 2 sts at front opening edge of next row. 46 (48: 51: 53: 56) sts.

Work 1 row.

Working raglan armhole decreases as given for back, dec 2 sts at raglan armhole edge of next and 0 (0: 0: 1: 1) foll alt row. 44 (46: 49: 49: 52) sts.

Work 3 (3: 3: 1: 1) row, ending with a WS row.

Inc 2 sts at front opening edge of next and foll 6th row **and at same time** dec 2 sts at raglan armhole edge of 3rd (3rd: next: 3rd: next) and every foll 0 (4th: 4th: 4th: 4th) row. 46 (46: 49: 49: 52) sts.

Medium, large and extra large sizes

Dec 2 sts at raglan armhole edge of – (–: 2nd: 4th: 2nd) and foll – (–: 0: 0: 4th) row. – (–: 47: 47: 48) sts.

All sizes

Work 1 (3: 1: 1: 1) rows, ending with a WS row.

Next row (RS): (Moss st 2 sts, work 3 tog) 1 (1: 0: 0: 0) times, moss st to last 11 sts, (K2tog) twice, (K2tog tbl) twice, moss st 3 sts. 40 (40: 43: 43: 44) sts.

Now working all sts in moss st, cont as folls:

Work 3 (3: 4: 4: 3) rows, dec 2 sts at raglan armhole edge of 0 (0: 2nd: 2nd: 2nd) of these rows and ending with a WS (WS: RS: RS: WS) row. 40 (40: 41: 41: 42) sts.

Shape neck

Dec 1 st at front opening edge of next 23 (23: 24: 24: 25) rows **and at same time** dec 2 sts at raglan armhole edge of next (next: 2nd: 2nd: 3rd) and every foll 4th row. 5 sts.

Work 1 row.

Next row (RS): Moss st 2 sts, work 3 tog. 3 sts.

Work 3 rows, dec 1 st at neck edge of 2nd of these rows. 2 sts.

Next row (RS): Work 2 tog and fasten off.

RIGHT FRONT

Cast on 19 (21: 24: 26: 29) sts using 4mm (US 6) needles.

Work in garter st for 3 rows, ending with a RS row.

Row 4 (WS): *P1, K1, rep from * to last 1 (1: 0: 0: 1) st, P1 (1: 0: 0: 1).

Row 5: P1 (1: 0: 0: 1), *K1, P1, rep from * to end.

Rows 4 and 5 form moss st.

Row 6: Moss st to last 7 sts, M1P, moss st 1 st, M1P, moss st 2 sts, M1P, moss st 1 st, M1P, moss st 3 sts. 23 (25: 28: 30: 33) sts.

Change to 5mm (US 8) needles.

Patt as folls:

Row 1 (RS): Moss st 3 sts, K8, moss st 2 sts, M2, moss st to end.

25 (27: 30: 32: 35) sts.

Row 2 and every foll alt row: Moss st to last 11 sts, P8, moss st 3 sts.

Row 3: Moss st 3 sts, K8, moss st to end.

Row 5: Moss st 3 sts, C8F, moss st to end.

Row 7: As row 1. 27 (29: 32: 34: 37) sts.

Row 9: Moss st 3 sts, K8, moss st to last st, inc in last st. 28 (30: 33: 35: 38) sts.

Row 10: As row 2.

These 10 rows form cable patt and start side seam and front opening edge shaping. Complete to match left front, reversing shapings.

SLEEVES

Cast on 45 (45: 47: 49: 49) sts using 4mm (US 6) needles.

Work in garter st for 3 rows, ending with a RS row.

Work in moss st as given for back for 3 rows, ending with a WS row.

Change to 5mm (US 8) needles.

Cont in moss st, shaping sides by inc 1 st at each end of 9th and every foll 8th row to 59 (53: 57: 59: 53) sts, every foll 6th row to 69 (71: 73: 75: 77) sts, then on every foll 4th row until there are 75 (77: 79: 81: 83) sts. Cont straight until sleeve measures 45 (45: 46: 46: 46) cm, ending with a WS row.

Shape raglan

Keeping moss st correct, cast off 7 sts at beg of next 2 rows. 61 (63: 65: 67: 69) sts. Working all raglan decreases as set by back and fronts, dec 2 sts at each end of next and every foll 4th (6th: 6th: 6th: 6th) row to 17 (55: 53: 59: 57) sts, then on every foll - (4th: 4th: 4th: 4th) row until - (19: 21: 19: 21) sts rem.

Work 3 rows, ending with a WS row.

Left sleeve only

Dec 2 sts at each end of next row.

13 (15: 17: 15: 17) sts.

Cast off 3 (3: 5: 3: 5) sts at beg of next row.

10 (12: 12: 12: 12) sts.

Dec 2 sts at beg of next row.

8 (10: 10: 10: 10) sts.

Cast off 4 (5: 5: 5: 5) sts at beg of next row.

Right sleeve only

Cast off 5 (5: 7: 5: 7) sts at beg and dec 2 sts at end of next row.

10 (12: 12: 12: 12) sts.

Work 1 row.

Cast off 4 (5: 5: 5: 5) sts at beg and dec 2 sts at end of next row.

Work 1 row.

Both sleeves

Cast off rem 4 (5: 5: 5: 5) sts.

MAKING UP

PRESS as described in the finishing instructions panel.

Join raglan seams using back stitch, or mattress stitch if preferred.

Neckband


With RS facing and using 4mm (US 6) needles, pick up and knit 27 (27: 28: 29: 29) sts up right side of neck, 11 (13: 15: 15: 15) sts from right sleeve, 21 (21: 23: 23: 25) sts from back, 11 (13: 15: 15: 15) sts from left sleeve, then 27 (27: 28: 29: 29) sts down left side of neck.

97 (101: 109: 111: 113) sts.

Work in garter st for 2 rows.

Cast off knitwise (on WS).

See finishing instructions panel for finishing instructions. Attach press studs to front neck corners to fasten fronts.



FINISHING INSTRUCTIONS

PRESSING

After darning in all the ends, block each piece of knitting. Press each piece, except ribs, gently, using a warm iron over damp cloth. Take special care to press the edges as this will make the sewing up both easier and neater.

SEWING UP

When stitching the pieces together match the colour patterns very carefully. Use a back stitch for all main knitting seams and an edge to edge stitch for all ribs unless otherwise stated. Join left shoulder seam

using back stitch and neckband seam (where appropriate) using an edge to edge stitch.

Sleeves

Set-in sleeves: Set in sleeve easing sleeve head into arm hole using back stitch,

Square set-in sleeve: Set in sleeve head into armhole, the straight sides at top of sleeve to form a neat right-angle to cast off sts at armhole on back and front using back stitch.


Shallow set-in sleeves: Join cast-off sts at beg of armhole shaping to cast -off sts at start of sleeve-head shaping. Sew sleeve-head into armhole, easing in shapings.

Straight cast-off sleeve: Place centre of cast off edge of sleeve to shoulder seam. Sew in sleeve using back stitch using markers as guidelines where applicable.

Join side and sleeve seams using back stitch.

Pockets and buttons (as appropriate)
Slip stitch pocket edgings and linings into place. Sew on buttons to correspond with button holes.

After sewing up, press seams and hems. Ribbed welts and neckbands and any areas of garter stitch should not be pressed.



All rights reserved. Reproduction in whole or any part of all material, including illustrations, in this pattern is strictly forbidden. No part may be reproduced, stored in a retrieval system, or transmitted in any form or by any means electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise without prior permission of the copyright owners having been given in writing. The design in this pattern is copyrighted and must not be knitted for re-sale. Reproduction of this publication is protected by copyright and is sold on the condition that it is used for non-commercial purposes.

Yarn quantities are approximate as they are based on average requirements. Colour reproduction is as close as printing and screen resolution will allow.

First published in Great Britain by Rowan Yarns Ltd, Green Lane Mill, Holmfirth, West Yorkshire, England, HD9 2DX

Internet: www.knitrowan.com Email: mail@knitrowan.com

Copyright Rowan 2005